



## LED universal dimmer REG - Dimmer modular distributor 20...420VA DU 1755 REG



**Jung**  
DU 1755 REG  
UD1755REG  
4011377167032 EAN/GTIN

**9927,95 INR** excl. VAT\*\*  
plus shipping

 5-6 days\* (IND)

LED universal dimmer REG DU 1755 REG composition of basic element with complete housing, operating type pushbutton, dimming leading edge, dimming trailing edge, load type universal, extension input, light value memory, installation type REG, material plastic, halogen-free, surface other, finish of the surface glossy, color white, rated voltage 230 ... 230V, frequency 50 ... 60Hz, rated power 20 ... 420VA, connection type screw terminal, core cross-section 0.5 ... 4mm<sup>2</sup>, device width 36mm, universal LED rotary dimmer, REG, with extension input, operation via extension 2 or 3-wire or button with NO contact, rated voltage: AC 230 V ~, mains frequency: 50/60 Hz, standby power: approx. 0.3 W, power loss: approx. 2 W, device works according to the leading edge or trailing edge principle, automatic or manual setting of the dimming principle suitable for the load, LED display of the set operating mode, switching on with lamp-protecting soft start, switching on with last switched on Adjustable brightness or saved switch-on brightness, switch-on brightness can be permanently saved, minimum brightness can be permanently saved, electronic short-circuit protection with permanent shutdown after 7 seconds at the latest, electronic over-temperature protection, connected load at 25 °C: incandescent lamps: 20 to 420 W, HV halogen lamps: 20 to 420 W, HV -LED lamps dimmable: typically 3 to 100 W, compact fluorescent lamps dimmable: typically 3 to 100 W, electronic transformers: 20 to 420 W, electronic transformers with LV LEDs 20 to 100 W, inductive transformers: 20 to 420 VA, inductive transformers with LV-LED 20 to 100 VA, when operating in HV-LED trailing edge operating mode: Connected load for HV-LED lamps: typically 3 to 200 W, electronic transformers with LV-LED: typically 20 to 200 W, ohmic-capacitive: 20 to 420 W, capacitive-inductive: not permitted, ohmic-inductive: 20 to 420 VA, ohmic and HV-LED: typically 3 to 100 W, ohmic and compact fluorescent lamps: typically 3 to 100 W, power expansion possible through power boosters, total length of load line: maximum 100 m, connection: screw terminals, 1 x 0.75 to 4 mm<sup>2</sup> or 2 x 0.75 to 2.5 mm<sup>2</sup> (single-wire and fine-wire without ferrule) and 1 x 0.5 to 2, 5 mm<sup>2</sup> (finely stranded with ferrule), total length of extension line: maximum 100 m, number of extensions: unlimited (extension insert 2-wire item no.: 1720 NE and non-illuminated button), maximum 5 (extension insert 3-wire item no.: 1723 NE and rotary extension insert 3-wire item no.: 1733 DNE), ambient temperature: - 5 to + 45 °C, width: 36 mm (2 HP), test mark: VDE, for switching and dimming lighting

### YOUR ADVANTAGES



**WORLDWIDE TRADE**  
Corporate video eibmarkt®



**99% CUSTOMER SATISFACTION**  
> 500,000 customers worldwide



**DHL TRACK & TRACE**  
Shipment tracking



**COMPLAINTS HANDLING**  
Obliging and 100% safely



**25 YEARS OF EXPERIENCE**  
In worldwide mail order



**ORDER LIVE CHAT**  
With order history



**SHORT DELIVERY TIME**  
Warehousing



**REFUND**  
Within 14 days



**DATA PROTECTION**  
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company ([www.eibmarkt.de](http://www.eibmarkt.de)). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

\*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

\*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop  
eibabo® electronics cheap online order  
eibabo® electric appliances buy online

