



Miniature circuit breaker 1-p K20A DLS 6I K20-1 10KA

Doepke
DLS 6I K20-1 10KA
09916564
4014712173651 EAN/GTIN



2427,85 INR excl. VAT**
plus shipping



5-6 days* (IND)

Miniature circuit breaker DLS 6I K20-1 10KA Tripping characteristic K, number of poles (total) 1, number of fused poles 1, rated current 20A, rated voltage 400V, rated insulation voltage U_i 2V, rated impulse withstand voltage U_{imp} 4kV, rated switching capacity I_{cn} according to EN 60898 at 230 V 10kA, rated switching capacity I_{cn} according to EN 60898 at 400 V 0kA, rated switching capacity I_{cu} according to IEC 60947-2 at 230 V 0kA, rated switching capacity I_{cu} according to IEC 60947-2 at 400 V 0kA, type of voltage AC/DC, frequency 16.67 ... 60Hz, energy limitation class 3, overvoltage category 3, Pollution degree 2, additional equipment possible, width in module spacing 1, mounting depth 68mm, degree of protection (IP) IP20, ambient temperature during operation -25 ... 55°C, connectable conductor cross-section stranded 1.5 ... 25mm², connectable conductor cross-section solid 0.5 ... 25mm². The task of circuit breakers is the automatic switching off of circuits to protect lines and attached closed devices. After being switched off, they can be switched on again manually without e.g. B. fuse links would have to be replaced. Each of our line protection circuits is equipped with a trip-free release, which ensures safe switching off, even in the event of e.g. B. mechanically blocked toggle switch guaranteed. Miniature circuit breakers of the DLS 6 series protect cables, lines and installation devices against overload and short circuits in accordance with DIN VDE 0100. The series includes a large selection of different types, from switches for residential and functional buildings to switches for industrial areas. Due to their compact design, miniature circuit breakers of the DLS 6 series offer maximum space savings for convenient wiring. The large clamping range and the possibility of using commercially available wiring rails ensure easy installation. In addition, it is possible to connect a large number of additional devices such as shunt trips and auxiliary and fault indicators. The DLS 6i version is particularly suitable for use in industrial plants thanks to its high rated switching capacity of 10 kA. Switches with tripping characteristic K are optimized for protecting power circuits (motor and transformer load circuits) with high inrush currents. Properties: rated switching capacity 10 kA, clamping yoke terminals with a wide range of terminal cross-sections for busbar and line wiring on both connection sides, special quick fastening for removing several miniature circuit breakers from the lower or upper busbar assembly, large. Hinged labeling window for a secure hold and protection of the label, use of...

YOUR ADVANTAGES



WORLDWIDE TRADE
Corporate video eibmarkt®



99% CUSTOMER SATISFACTION
> 500,000 customers worldwide



DHL TRACK & TRACE
Shipment tracking



COMPLAINTS HANDLING
Obliging and 100% safely



25 YEARS OF EXPERIENCE
In worldwide mail order



ORDER LIVE CHAT
With order history



SHORT DELIVERY TIME
Warehousing



REFUND
Within 14 days



DATA PROTECTION
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and **eibmarkt®** are registered trademarks of EIBMARKT® GmbH holding company (www.eibmarkt.de). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

*** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler at a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop
eibabo® electronics cheap online order
eibabo® electric appliances buy online

