

Item Number EB15506274

29.04.2024/21:49

×

https://www.eibabo.in/siemens/base-unit-bu15-p16-a10-2b-fieldbus-mounting-frame-1-slot-6es7193-6b p20-0ba0-eb15506274

Base unit BU15-P16+A10+2B - Fieldbus mounting frame 1 slot 6ES7193-6BP20-0BA0

Siemens

6ES7193-6BP20-0BA0 4025515080862 EAN/GTIN

1837,40 INR excl. VAT**

plus shipping

5-6 days* (IND)

Baseunit BU15-P16+A10+2B 6ES7193-6BP20-0BA0 Input voltage at DC 19.2 ... 28.8V, Type of input voltage DC, System component, Number of slots 1, DIN rail mounting possible, Front mounting possible, Rack mounting possible, Suitable for safety functions, explosion protection category for gas ATEX gas explosion protection, cat. 3G, explosion protection category for dust without, width 15mm, height 141mm, depth 35mm, SIMATIC ET 200SP, base unit BU15-P16+A10+2B, BU type A0, push-in terminals, with 10 AUX terminals, bridged to the left, WxH: 15mmx141mm The SIMATIC ET 200SP is a modular, scalable and highly flexible, distributed I/O system. Due to its small footprint, it is particularly designed for installation in small switch boxes close to the machine. The modules can either be plugged directly into an ET 200SP CPU or connected to a central controller via PROFINET or PROFIBUS. The SIMATIC ET 200SP can be expanded with up to 64 I/O modules that can be plugged in in any combination. The system offers a very extensive range of assemblies. Many modules are also available in different versions, which significantly improves scalability in terms of functionality and price. In addition to modules with basic functionality (ST), modules with an extended range of functions and diagnostics (HF High Feature / HS High Speed) are also available. Modules with basic functionality (BA) are available for price-sensitive applications. The advantage of the ET 200SP system is that it is easy to use, e.g. B. through the free choice of the PROFINET connection technology via the bus adapter, the tool-free wiring with push-in technology, improved accessibility of the wiring through the new arrangement of the spring openers next to the associated conductor opening and the channel-specific diagnostic functions. The possibility of changing modules and terminal boxes during operation, the so-called hot-swapping, ensures machine availability and productivity. The scalable and cost-optimized configuration of an ET 200SP station is guaranteed by the

YOUR ADVANTAGES



© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (<u>www.eibmarkt.de</u>). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

*** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

> eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online



