



## Delay switch 1S not potential-free - Time relay 8...230VAC/DC NLZ61NP-UC



**Eltako**  
**NLZ61NP-UC**  
61100704  
4010312603048 EAN/GTIN

**3077,51 INR** excl. VAT\*\*  
plus shipping

 5-6 days\* (IND)

Overrun timer 1NO not potential-free NLZ61NP-UC Function response and release delay, 1st time range unit minutes/hours, 1st time range 0 ... 12, 2nd time range unit seconds/minutes, 2nd time range 12 ... 1, mounting type Flush-mounted, width in pitch units 0, installation height 18mm, number of NO contacts 1, number of NC contacts 0, number of changeover switches 0, control voltage 1 8 ... 230V, type of control voltage 1 AC/DC, frequency of the control voltage 1 50 ... 50Hz, supply voltage 250 ... 250V, voltage type of the supply voltage AC, rated switching current at 250 V AC 10A, switching capacity incandescent lamps 2000W, switching capacity fluorescent lamps DUO 1000VA, switching capacity fluorescent lamps in parallel 500VA, delay timer UC. 1 NO contact not potential-free 10A/250V AC. Standby loss only 0.7 watts. For flush mounting. 45mm long, 45mm wide, 18mm deep. Contact switching in the zero crossing to protect the contacts and consumers. The latest hybrid technology combines the advantages of wear-free electronic control with the high performance of special relays. Universal control voltage 8...230V UC galvanically isolated from the supply and switching voltage 230V. Due to the use of a bistable relay, there is no coil power loss and no heating as a result, even when switched on. After installation, wait for the brief automatic synchronization before the switched consumer is connected to the mains. Run-on time adjustable from 1 to 12 minutes with the top rotary switch. Response delay 0 to 12 minutes adjustable with the lower rotary switch. Function: When the control contact (light switch) is closed, the response delay AV begins (unless set to 0), at the end of which the fan is switched on. As soon as the control contact opens and if a set response delay has already expired, the set release delay RV (run-on time) runs, at the end of which the fan is switched off. This delay timer can be controlled by all EUD12 and EUD61 dimmers, even with the smallest dimming setting.

### YOUR ADVANTAGES

 **WORLDWIDE TRADE**  
Corporate video eibmarkt®

 **COMPLAINTS HANDLING**  
Obliging and 100% safely

 **SHORT DELIVERY TIME**  
Warehousing

 **99% CUSTOMER SATISFACTION**  
> 500,000 customers worldwide

 **25 YEARS OF EXPERIENCE**  
In worldwide mail order

 **REFUND**  
Within 14 days

 **DHL TRACK & TRACE**  
Shipment tracking

 **ORDER LIVE CHAT**  
With order history

 **DATA PROTECTION**  
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company ([www.eibmarkt.de](http://www.eibmarkt.de)). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

\*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

\*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop  
eibabo® electronics cheap online order  
eibabo® electric appliances buy online

